



## Chlorine-free technology for a healthy pools

Private pools

Private whirlpools

Medium-pressure UV

AOP (Advanced Oxidation Process)

#### Content

| About Litetech   | 4  |
|--|----|
| Why work with us?  | 5  |
| Health hazard risks in swimming pools                                | 6  |
| What is a healthy pool?  | 8  |
| References   | 10 |
| Private pool   | 16 |
| Medium-pressure UV technology  | 18 |
| ProfiPure  | 20 |
| ProfiPure IoT  | 22 |
| ProfiTiny  | 24 |
| Charm  | 26 |
| AOP (Advanced Oxidation Process)                                     | 28 |
| LifeOX® M  | 30 |
| Summary  | 32 |
| -  | 33 |
| Private pool and whirpool  Product comparison, to obvious parameters |    |
| Product comparison - technical parameters                            | 34 |
| Product comparison - health risks                                    | 36 |
| Comparative technology - health risks                                | 38 |

#### C Lifetech

WINE ATTA



Haven't you received your catalog?

Just scan the QR code and have it sent to your email.

# For more than 25 years, we've been helping our customers to enjoy a healthy swimming pool

We are an innovative and technological company from the heart of Europe. We have been helping our customers swim in a healthy pool for over 25 years. Nature is our greatest mentor. We harness its natural power inside our products for the most effective water Treatment today's technology can offer.

A pool equipped with our technology isn't just healthier; it is also up to 40% cheaper to maintain. To accomplish this mission, we design, develop, and manufacture the technology of ozone, UV, and their combination AOP. We train our distributors and partners to install, and reliably maintain these solutions. The synergy of UV and ozone represents

the latest and most efficient water disinfection technology available. This new and highly efficient technology is known as AOP, or Advanced Oxidation Process.

You can find our technology in thousands of residential pools, hundreds of hotel pools, and dozens of water parks worldwide.



#### Why work with us?

#### FROMUS, YOU GET THE BEST SUPPORT

We understand that non-chlorine water disinfection technologies are still in their infancy. Therefore, we have developed a system to facilitate our partner a smooth entry into this field.

- You will receive clear and practical product and service training from us.
- · You will receive ready-made marketing materials that you can take under your logo.
- We will support you quickly and reliably. We also keep all spare parts in stock.

#### YOU CAN RELY ON OUR PRODUCTS

We know our products, therefore we can afford to give you the best product warranty on the market. Ask our sales team about the details.

Our confidence is based on our key strength, that is practical design and production craftsmanship.

#### FROMUS, YOU GET UNIQUE PRODUCT FEATURES

We can offer you several product features that are unique on the market. Among these features:

- LifeAGE technology prolongs lifespan of UV lamps by up to 125%.
- LifeAGE technology saves up to 50% of energy costs.
- LifeKEY is a unique technology that guarantees equipment reliability.


Interested in working with us? Great! Then do not hesitate to contact us on becomeapartner@lifetechozone.com our sales team will be happy to assist you.



## Health risks in swimming pools and their prevention


Health risk CHLORINATION ONLY

Health risk COMMON UV-C LIGHTS



#### Swimming pool with high concentrations with trichloramines, NOT a healthy pool

The chemical compound trichloramine (Part of combined chlorine) becomes carcinogenic at high concentrations and can trigger asthma, allergies, skin irritation and dryness, and eye irritation. It is the compound behind the typical "chlorine" smell associated with swimming pools. In essence, a pool with a strong chlorine smell indicates high levels of bound chlorine and is NOT healthy. Additionally, trichloramine contributes to the corrosion of materials within swimming pools and indoor pool structures. Pools on chlorination and filtration only do are prone to chlorine-resistant bacteria such as Pseudomonas aeruginosa, Legionel-Ia, Mycobacterium avium, and Cryptosporidium. These bacteria can withstand typical chlorine concentrations found in pools and can cause severe or even deadly ilnesses. The parasite giardia lamblia – causes severe diarrhoea



#### These lamps are based on lowpressure UV light bulbs with single wavelength of UV. These lamps do NOT remove the harmful trichloramine!

That harsh "chlorine pool" smell? It's actually trichloramine, a chemical compound of bound chlorine that is carcinogenic at higher concentrations and linked to asthma, skin irritation, and even damage to pool equipment. The concentration of disinfecting chlorine can be reduced to 0.5 mg/l. The concentration of disinfecting chlorine is 0.7-1 mg/l. Chlorine dosage 100%






Technologie LifeOX® M


Healthy pool

MEDIUM PRESSURE UV

Healthy pool A

AOP





#### Get a healthy swimming pool, removes the harmful Trichloramine

Ensure healthy water and a pleasant environment with UV systems featuring medium-pressure UV lamps, which simultaneously disinfect water and remove harmful Trichloramine. Standard low-pressure UV lamps cannot achieve this, which is why the German standard DIN 19643 for public swimming pool water treatment mandates the use of UV systems with medium-pressure lamps. This advanced technology, previously exclusive to public pools, is now available for private pools. It also allows for the reduction of disinfecting chlorine concentration to 0.3 mg/l.

#### Most powerful technology avaiable. Get a healthy swimming pool, removes harmful Trichloramine and its source. Reduce TOC (Total organic carbon)

The pool water attains the quality of drinking water, creating a healthy and pleasant environment suitable even for toddlers, asthmatics, and allergy sufferers. It is free from harmful Trichloramine and organic TOC (Total Organic Carbon) contaminants. The concentration of disinfecting chlorine can be reduced to 0.1-0.2 mg/l. This results in a radical reduction of operating costs and the fastest return on investment.

## What is a healthy pool? Chemical-free technology. Minimizing the chemicals in the water plus reduction of monthly costs.

#### TRICHLORAMINE = TOXIC SUBSTANCE

Trichloramine forms when chlorine reacts with nitrogen-containing substances such as sweat, body oils, and urine from swimmers.

#### REDUCING RISKS TO HEALTH


- Eye irritation
- Coughing and difficulty breathing
- Irritation and disruption of the epithelium of the upper respiratory tract
- Has been shown to contribute to the development of asthma and allergies
- Causes allergic reactions in sensitive individuals

#### **SKINCARE TECHNOLOGY**

Prolonged exposure to trichloramine causes skin irritation and dryness, leading to premature aging.

#### LESS CHLORINE = SAVED COSTS

Reducing chemical consumption positively affects your monthly pool expenses











3 426 pools enjoy healthy water with our equipment. 2 134 sites with solved water issues. 25 years of experience. Wherever there is Lifetech, there's a healthy pool.





#### Sheybarah Island - Red Sea Global, Kingdom of Saudi Arabia

Lifetech supplied 38 medium pressure UV (UVM) Systems for the Sheybarah Island project (Part of Red See Global). In Red Sea Global (RSG), the convergence of luxury, sustainability, and innovation redefines the approach to development. The organization leads the way in pioneering new development and tourism models, with a primary focus on prioritizing the well-being of both people and the planet. Their projects are designed to actively contribute to enhancing the well-being of customers, communities, and environments alike. RSG is a cornerstone of Saudi Vision 2030, the most ambitious transformative investment and development project of our time.



#### Lifetech technology in the Skjaak Swimming Pool - Norway

The installation of both the bypass for the ozone reaction/degassing tank and the medium pressure UV reactor in the mainstream was done very fast in the first day.

All the new equipment was very easy to fit to existing system. We mounted the LifeUVM0135WM medium pressure UV reactor on the optional reactor stand and the Control and power supply unit on an existing stand. The Lifepool 4.0 ozone generator and the Lifox 4.0 oxygen generator were mounted on the wall, the ozone reaction/degassing tank was floor mounted.

Installation of the LifeOX $^{\scriptsize (0)}$  technology from LIFETECH s.r.o. made possible to reach our goal, i.e. to reduce the chlorine content in the pool water.

The level of free chlorine is now kept at 0.2 ppm, thus, being reduced by close to 70 %. The combined chlorine content is as low as 0.05 ppm only. The strong smell of chlorine in the swimming pool is gone and the ambient air is much healthier. The pH level is very stabile in the neutral range of pH 7.00-7.15. At these conditions, we have not found any trace of bacterial growth.



#### TA'AKTANA, a Luxury Collection Resort & Spa, Labuan Bajo, Indonesia

Lifetech supplied 4 medium pressure UV Systems for the hydrotherapy pools within the Wet Spa facility. This luxury hotel is a symbol of quality and high standard. Supplied by our partner SINAR TEKNIK, Medan/Indonesia



#### Singapore Zoo is dedicated to the highest standards of animal care and conservation

Mandai Wildlife Reserve at Mandai in Singapore includes the Singapore Zoo, Night Safari, River Wonders, Bird Paradise and Rainforest Wild. This zoo has reputation as one of the best in the world and its well deserved. Mandai Reserve is a vast area with wild nature, home to 560 animal species, the number of animals is about 15,000. Singapore Zoo is dedicated to the highest standards of animal care and conservation, with a team of passionate wildlife professionals that look after all aspects of caring for the living collection.

It systematically introduces innovative technologies and sustainable practices, such as the use of renewable energy or the minimization of waste. This category also includes reducing water consumption, which our technology can repeatedly clean, treat and disinfect. We are really proud that our UV systems and LifeOX®-M technology have been chosen for such a prestigious Wildlife Reserve. We treat the water in 21 circuits, including pools for hippos, crocodiles, primates, otters, a pond for birds, etc.





#### AquaDream Aquapark Barrandov - Prague

In February 2024, the original 4 medium-pressure UV systems were replaced by our TOP medium-pressure UV systems with unique LifeAGE® technology, which extends the life of medium-pressure lamps by more than 100% and simultaneously reduces operating costs by 20 to 30%. We are very pleased with the information that the hygiene authority staff measuring the water quality in Barrand-ov Aquapark could not believe that after replacing the original UV systems, there was such a radical improvement in water and air quality.




#### The most modern polish Water Park Fabryka Wody uses LIFETECH technology

Twenty-six medium-pressure TOP UV systems with LifeAGE® technology were installed in the Fabryka Wody water park in Szczecin, Poland. The systems have a total capacity of almost 4,000 cubic meters of pool water per hour, and in addition to the perfect disinfection of the pool water, harmful trichloramines will also be removed. These are harmful to human health, causing the typical pool smell, asthma, red eyes, burning of the skin and corrosion of the halls. The environmentally friendly LifeAGE® technology is able to effectively eliminate these substances and at the same time minimize operating costs. The systems were commissioned in the second week of January 2024.

In addition to water fun, Fabryka Wody will also offer an educational section focused on water as a life-giving fluid from the point of view of the school curriculum of natural history, physics, chemistry and biology. The aim of this part of the water park is to contribute to the protection of the environment and natural resources in the form of education.

LIFETECH is proud that the LifeAGE® technology it developed was chosen for such a prestigious project. It is proof not only of its efficiency and reliability, but also of the growing emphasis on the need for energy savings and environmental protection.



Lifetech technology in Zuri Zanzibar

LIFETECH is proud that the design and supply of ozone, UV and LifeOX®M technologies for the treatment of drinking, waste and pool water contributed to the fact that the unique ZURI Zanzibar resort was the first in the world to be awarded the gold EarthCheck certification for sustainable design.

LIFETECH has always designed environment-friendly technologies. They were invited by their long-term business partner, VTI, to design ozone and UV technology for all water and waste management of the newly built ZURI Zanzibar hotel resort in 2015. The aim was to use environmentally clean technologies for water treatment and to make the most of waste water recycling. In cooperation with VTI, LIFETECH designed and supplied technologies for the treatment of drinking, pool and waste water.

Water from boreholes undergoes mechanical and membrane filtration and subsequently enters two storage tanks. Each of them is 160 m3 in size. Drinking wateris disinfected with ozone. No chlorine is used for disinfection. Therefore, resort visitors drink tasty healthy water without a drop of chlorine. The supply also included a bottling plant enabling drinking water to be filled into glass bottles.

The LifeOX®M advanced oxidation technology treats water in all pools. It is the most efficient technology for pool water treatment. This technology includes the LifeUVM® medium-pressure systems with unique LifeAGE® technology to extend the life of medium-pressure UV lamps. The water of all whirlpools is treated using the Combi Ozone/UV system. It is a combined technology of ozone and low-pressure LifeUVL systems.

The maximum use of the produced water is achieved by disinfecting the water flowing out of the biological wastewater treatment plant using the advanced Combi Ozone/UV oxidation technology. The treated water is used for watering and also as a water source for the fire reservoir.


Our exclusive LifeOX®M and LifeAGE® technologies reduce the carbon footprint significantly compared to standard ozone and UV technologies. Additionally, these technologies bring competitive advantages to you and your clients. LifeOX®M is the most efficient technology for reducing and preventing the formation of harmful trichloramine in the pool water.



## Aquapalace Prague Cestlice - The largest water park in the Czech Republic

We are proud that our best LifeOX®-M pool water treatment technology has been improving the quality of pool water and air since February 2024 even in the largest Czech water park Aquapalace Praha in Cestlice. We believe that our LifeOX®-M technology will also prove its qualities while reducing operating costs.





## Olympic swimming pool in Taldykorgan - Kazakhstan

A modern swimming pool complex in Taldykorgan, the administrative capital of the Jetisu Region, Kazakhstan. This unique project in Central Asia, was opened in the year 2021. Its uniqueness lies in the fact that it meets Olympic standards. Another feature is the external architectural appearance, reminiscent of the silhouette of a huge fish swimming in the depths of the sea. The complex has three swimming pools, the largest of which is 52 meters long and 25 meters wide. Total water flow of all three pools is almost 1000 m3/h and is treated by Lifetech AOP(Advanced Oxidation Process) technology LifeOX®-M.














|  | ProfiPure                                   | ProfiPure IoT                               | ProfiTiny                                   | Charm  | LifeOX® M  |
|--|---|---|---|--|--|
| Expected life of UV lamp   | 5 000 hours                                 | 5 000 hours                                 | 5 000 hours                                 | 10 000 hours   | 10 000 hours   |
| Technology (Series)  | Medium-pressure UV                          | Medium-pressure UV                          | Medium-pressure UV                          | Medium-pressure UV                                     | AOP (Advanced Oxidation Process)   |
| loT  | -   | Yes   | -   | -  | -  |
| Salt water   | Yes   | Yes   | Yes   | Yes  | Yes  |
| Skincare technology (remove trichloramin)                            | Yes   | Yes   | Yes   | Yes  | Yes  |
| Max pool private volume  | 294 m³                                      | 294 m³                                      | 294 m³                                      | 252 m³   | 1500 m³  |
| Max flow rate<br>Private pools and whirlpools<br>(UV dose 30 mJ/cm²) | 49 m³/h                                     | 49 m³/h                                     | 49 m³/h                                     | 42 m³/h  | 250 m³/h /1 unit   |
| Aplication   | Indoor pools, Outdoor<br>pools , Whirlpools            | Indoor pools, Outdoor<br>pools , Whirlpools                              |
| TOC reduction  | -   | -   | -   | -  | Yes  |
| Power supply   | Magnetic power supply                       | Magnetic power supply                       | Magnetic power supply                       | Advanced electronic power supply (LifeAGE® technology) | Advanced electronic<br>power supply (LifeAGE®<br>technology)             |
|  | Factor III                                  | Patron IV                                   | Problem (V)                                 | Clerm  |  |
| Connection   | 1 ½"-3"                                     | 1 ½"-3"                                     | 2"-3"                                       | 2''-3"   | 2" – DN 250 (flange)   |
| Total power input of UV lamps  | 0.25 - 0.8 kW                               | 0.25 - 0.8 kW                               | 0.4 - 0.8 kW                                | 0.4 -0.6 kW  | 1.8- 9.0 kW  |
|  | Without wiper                               | Without wiper                               | Without wiper                               | Without wiper  | Without wiper  |
| Wiper  |   | ech leaves                                  |   |  |  |
|  | Manual wiper                                | Manual wiper                                | Manual wiper                                | Manual wiper   |  |
|  |   |   | <b>→</b>                                    | <b>***</b>   |  |
|  |   |   |   | Automatic wiper  | Automatic wiper  |
|  |   |   |   |  |  |
| Sensor   | Temperature                                 | Temperature                                 | Temperature                                 | Temperature sensor                                     | Temperature sensor<br>UV sensor<br>Modbus connection<br>TS touch display |
| Optional   | UV sensor                                   | UV sensor                                   | UV sensor                                   | UV sensor  | -  |

## Medium-pressure UV technology — reduces pool chemicals, saves money

Medium-pressure UV lamps operate on the broad-spectrum radiation principle, spanning from 200 to 600 nm. This broad range of wavelengths enhances their effectiveness by increasing the number of pathogens they can target. Furthermore, this broad-spectrum UV radiation permanently disrupts the DNA of microorganisms, preventing any possibility of DNA repair and reactivation.







### Fast ROI (Return On Investament) >> Chlorine Reduction 50%



#### German standard for pools (DIN 19643)



Medium-pressure UVM systems are the only UV systems that reduce the value of bound chlorine in the pool - anchored in the German standard for pools. (DIN 19643)

#### UV radiation eliminates the DNA of microorganisms permanently




BACTERIA DESTRUCTION



VIRUSES DESTRUCTION



REMOVES TRICHLORAMINES



ALGAE



PATHOGENS



PREVENTS COLLAPSE OF THE HALL

Reduction of chlorine dosage



Total chlorine in the pool

#### **ProfiPure** Smallest medium Pressure UV you can get


#### Private pools: up to 49 m<sup>3</sup>/h

Permanent chlorine-free disinfection and elimination of unhealthy trichloramine in one compact system. Healthy pool technology. The first skincare UVM technology on the market,

which prevents aging of the skin. Minimizing the chemicals in the water plus reduction of monthly costs.



| 5,000 hours                             |  |   |  |  |  |
|---|--|---|--|--|--|
| Medium-pressure UV systems (200–600 nm) |  |   |  |  |  |
| Indoor pools                            | Outdoor pools  | Whirlpools  |  |  |  |
| Yes                                     |  |   |  |  |  |
| 294 m³                                  | 294 m³   |   |  |  |  |
| 49 m³/h                                 | 49 m³/h  |   |  |  |  |
| Magnetic pow                            | Magnetic power supply  |   |  |  |  |
| 1 ½"-3"                                 |  |   |  |  |  |
| 0,25 - 0,8 kW                           |  |   |  |  |  |
| Without wiper                           |  |   |  |  |  |
| Stainless-steel                         | reactor 316L (Sa   | lt water resistant)   |  |  |  |
| Temperature                             | Temperature  |   |  |  |  |
| UV sensor                               |  |   |  |  |  |
|   | Medium-press Indoor pools  Ves 294 m³ 49 m³/h  Magnetic pow 1 ½"-3" 0,25 - 0,8 kW  Without wiper  Stainless-steel  Temperature | Medium-pressure UV systems ( Indoor pools  Ves  294 m³  49 m³/h  Magnetic power supply  1½"-3"  0,25 - 0,8 kW  Without wiper  Stainless-steel reactor 316L (Sat |  |  |  |





















#### Models

| Without wiper (NW) | Manual wiper (MW) | Automatic wiper (AW) | Connection | Max volume (m³)<br>Private pools and whirlpools | Max flow rate (m³/h) Private pools and whirlpools (UV dose 30 mJ/cm²) | Total power input of UV<br>lamps (kW) / phase |
|--------------------|-------------------|----------------------|------------|---|---|---|
| ProfiPure 100      | -                 | -                    | 1 ½"       | 72  | 12  | 0.25 / I                                      |
| ProfiPure 200      | =                 | =                    | 2"         | 84  | 14  | 0.25 / I                                      |
| ProfiPure 300      | -                 | -                    | 2"         | 106   | 18  | 0.25 / I                                      |
| ProfiPure 400      | -                 | -                    | 3"         | 180   | 30  | 0.40 / I                                      |
| ProfiPure 500      | =                 | =                    | 3"         | 294   | 49  | 0.80 / I                                      |

#### ProfiPure IoT IoT-smart pool

#### Private pools: up to 49 m<sup>3</sup>/h

Permanent chlorine-free disinfection and elimination of unhealthy trichloramine in one compact system. Healthy pool technology. The first skincare UVM technology on the market,

which prevents aging of the skin. Minimizing the chemicals in the water plus reduction of monthly costs.



| Expected life of UV lamp          | 5,000 hours                             |                  |                      |  |  |  |
|-----------------------------------|---|------------------|----------------------|--|--|--|
| Technology (Series)               | Medium-pressure UV systems (200–600 nm) |                  |                      |  |  |  |
| Application                       | Indoor pools                            | Outdoor pools    | Whirlpools           |  |  |  |
| Salt water                        | Yes                                     |                  |                      |  |  |  |
| Max pool volume                   | 294 m³                                  |                  |                      |  |  |  |
| Max flow rate (UV dose 30 mJ/cm²) | 49 m³/h                                 |                  |                      |  |  |  |
| Power supply                      | Magnetic power supply                   |                  |                      |  |  |  |
| Connection                        | 1½"-3"                                  |                  |                      |  |  |  |
| Total power input of UV lamps     | 0,25 - 0,8 kW                           |                  |                      |  |  |  |
| Wiper                             | Without wiper                           |                  |                      |  |  |  |
| Material                          | Stainless-steel                         | reactor 316L (Sa | ılt water resistant) |  |  |  |
| Sensor                            | Temperature                             |                  |                      |  |  |  |
| Optional                          | UV sensor                               |                  |                      |  |  |  |
|                                   |   |                  |                      |  |  |  |



















#### Models

| Without wiper (NW) | Manual wiper (MW) | Automatic wiper (AW) | Connection | Max volume (m³)<br>Private pools and whirlpools | Max flow rate (m³/h) Private pools and whirlpools (UV dose 30 mJ/cm²) | Total power input of UV<br>lamps (kW) / phase |
|--------------------|-------------------|----------------------|------------|---|---|---|
| ProfiPure 100      | -                 | -                    | 1 ½"       | 72  | 12  | 0.25 / I                                      |
| ProfiPure 200      | =                 | =                    | 2"         | 84  | 14  | 0.25 / I                                      |
| ProfiPure 300      | -                 | -                    | 2"         | 106   | 18  | 0.25 / I                                      |
| ProfiPure 400      | -                 | -                    | 3"         | 180   | 30  | 0.40 / I                                      |
| ProfiPure 500      | =                 | =                    | 3"         | 294   | 49  | 0.80 / I                                      |

#### **ProfiTiny** Medium Pressure UV with wiper


#### Private pools: up to 49 m<sup>3</sup>/h

Permanent chlorine-free disinfection and elimination of unhealthy trichloramine in one compact system. Healthy pool technology. The first skincare UVM technology on the market, which prevents aging of the skin. Minimizing the chemicals

in the water plus reduction of monthly costs. Manual wiper is easy way to clean the surface of the quartz sleeves periodically to prevent energy losses and water treatment reduction.



| Expected life of UV lamp          | 5,000 hours                           |                  |                     |  |  |
|-----------------------------------|---------------------------------------|------------------|---------------------|--|--|
| Technology (Series)               |                                       | ure UV systems ( | 200–600 nm)         |  |  |
| Application                       | Indoor pools Outdoor pools Whirlpools |                  |                     |  |  |
| Salt water                        | Yes                                   |                  |                     |  |  |
| Max pool volume                   | up to 294 m³                          |                  |                     |  |  |
| Max flow rate (UV dose 30 mJ/cm²) | up to 49 m³/h                         |                  |                     |  |  |
| Power supply                      | Magnetic power supply                 |                  |                     |  |  |
| Connection                        | 2'''-3"                               |                  |                     |  |  |
| Total power input of UV lamps     | 0,4 - 0,8 kW                          |                  |                     |  |  |
| Wiper                             | Without wiper,                        | Manual wiper     |                     |  |  |
| Material                          | Stainless-steel                       | reactor 316L (Sa | lt water resistant) |  |  |
| Sensor                            | Temperature                           |                  |                     |  |  |
| Optional                          | UV sensor                             |                  |                     |  |  |
















#### Models

| Without wiper (NW)      | Manual wiper (MW)       | Automatic wiper (AW) | Connection | Max volume (m³)<br>Private pools and whirlpools | Max flow rate (m³/h)<br>Private pools and whirlpools<br>(UV dose 30 mJ/cm²) | Total power input of UV<br>lamps (kW) / phase |
|-------------------------|-------------------------|----------------------|------------|---|---|---|
| LifeUVM0104-13-NW-MP-LE | LifeUVM0104-13-MW-MP-LE | -                    | 2"         | 110   | 20  | 0.4 / I                                       |
| LifeUVM0104-25-NW-MP-LE | LifeUVM0104-25-MW-MP-LE | -                    | 3"         | 230   | 38  | 0.4 / I                                       |
| LifeUVM0204-25-NW-MP-LE | LifeUVM0204-25-MW-MP-LE | -                    | 3"         | 294   | 49  | 0.8 / I                                       |

#### Charm Fully automatic Medium Pressure UV


#### Private pools: up to 42 m<sup>3</sup>/h

Permanent chlorine-free disinfection and elimination of unhealthy trichloramine in one compact system. Healthy pool technology. The first skincare UVM technology on the market, which prevents aging of the skin. Minimizing the chemicals in the water plus reduction of monthly costs. The unique

LifeAGE® technology will reduce operating costs by up to 25% compared to standard UVM systems. Reduction of chlorine dose by up to 50%. Automatic wiper is best way to clean the surface of the quartz sleeves periodically to prevent UV dose losses and water treatment reduction.



| Expected life of UV lamp          | 10,000 hours   |                 |  |  |  |  |
|-----------------------------------|--|-----------------|--|--|--|--|
| Technology (Series)               | Medium-pressure UV systems (200–600 nm)                |                 |  |  |  |  |
| Application                       | Indoor pools Outdoor pools Whirlpools                  |                 |  |  |  |  |
| Salt water                        | Yes  |                 |  |  |  |  |
| Max pool volume                   | up to 294 m³   |                 |  |  |  |  |
| Max flow rate (UV dose 30 mJ/cm²) | up to 49 m³/h  |                 |  |  |  |  |
| Power supply                      | Advanced electronic power supply (LifeAGE® technology) |                 |  |  |  |  |
| Connection                        | 2'''-3"  |                 |  |  |  |  |
| Total power input of UV lamps     | 0.4 -0.6 kW  |                 |  |  |  |  |
| Wiper                             | Manual wiper, A  | Automatic wiper |  |  |  |  |
| Material                          | Stainless-steel reactor 316L (Salt water resistant)    |                 |  |  |  |  |
| Sensor                            | Temperature  |                 |  |  |  |  |
| Optional                          | UV sensor  |                 |  |  |  |  |
|                                   |  |                 |  |  |  |  |


















#### Models


| Without wiper (NW) | Manual wiper (MW)        | Automatic wiper (AW)     | Connection | Max volume (m <sup>5</sup> )<br>Private pools and whirlpools | Max flow rate (m³/h)<br>Private pools and whirlpools<br>(UV dose 30 mJ/cm²) | Total power input of UV<br>lamps (kW) / phase |
|--------------------|--------------------------|--------------------------|------------|--|---|---|
| -                  | LifeUVM0104-13-MW-AEP-LD | LifeUVM0104-13-AW-AEP-LD | 2"         | 110  | 20  | 0.4 / I                                       |
| -                  | LifeUVM0104-25-MW-AEP-LD | LifeUVM0104-25-AW-AEP-LD | 3"         | 230  | 38  | 0.4 / I                                       |
| -                  | LifeUVM0106-25-MW-AEP-LD | LifeUVM0106-25-AW-AEP-LD | 3"         | 252  | 42  | 0.6 / I                                       |


#### **AOP** (Advanced Oxidation Process) reduces pool chemicals, saves money


The high oxidation potential of ozone can be significantly increased by combining it with UV radiation. This method is known as advanced oxidation or UV oxidation. LIFETECH has developed its own LifeOX® technology based on optimised synergy between ozone and UV radiation.

The advanced oxidation process (AOP) is today's best water treatment technology. AOP is based on the formation of OHradicals in the water. These OH-radicals


have considerably higher oxidation potential compared to other water treatment oxidants. This means that OH-radicals (i.e., AOP technology) are able to oxidise particles in water much faster and more efficiently. The comparison can be found in the chart above. OH-radicals have a higher oxidation potential than hydrogen peroxide or ozone. The higher the oxidation potential, the more effective the water disinfection and purification.








#### Healthy pool Fastest ROI (Return On Investment) » Chlorine Reduction 90%



Total chlorine in the pool

The higher the oxidation potential, the more effective the water disinfection and purification.



**BACTERIA** DESTRUCTION



**VIRUSES DESTRUCTION** 



**IRON AND** MANGANISE OXIDATION



DESTRUCTION



**PATHOGENS** DESTRUCTION






CONTAMINANTS **DESTRUCTION** 



**REMOVES** TRICHLORAMINES



**REMOVES TASTE** ANDODOR



REMOVES ORGANIC POLLUTANT TOC (TOTAL ORGANIC CARBON)



**ORGANIC** POLLUTANTS (BTEX, POPS, AOX, ETC.) DESTRUCTION



PREVENTS COLLAPSE **OFTHEHALL** 

#### LifeOX® M The best technology money can get

#### Private pools: up to 250 m<sup>3</sup>/h

Disinfection & Prevention of the Formation of Unhealthy Trichloramine & TOC Reduction in One Compact System = the Most Effective Pool Water Treatment Technology with the Fastest Return on Investment. Trichloramine causes: asthma, pool odor, red eyes, drying and burning of the skin, corrosion. TOC - the total amount of organic substances contaminating the water. Reducing TOC increases the amount of recyclable washing water after washing the filters = saving water and energy.








985x847x1202 mm

1,110x857x1,472 mm

| Technology                  | AOP (Advanced Oxidation Process) |                         |            |  |  |  |
|-----------------------------|----------------------------------|-------------------------|------------|--|--|--|
| Application                 | Indoor pools                     | Outdoor pools           | Whirlpools |  |  |  |
| Max pool volume             | up to 1500 m³                    |                         |            |  |  |  |
| Max flow rate               | up to 250 m³/h                   | up to 250 m³/h / 1 unit |            |  |  |  |
| Ozone generation            | Air dryer<br>Oxygen concentrator |                         |            |  |  |  |
| Ozone generation technology | Corona discharge                 |                         |            |  |  |  |
| AOP technology              | Ozone + UV                       |                         |            |  |  |  |
| UV lamp type                | LifeUVM®                         |                         |            |  |  |  |
| Power control               | 10-100%                          |                         |            |  |  |  |
| Installation                | Plug & Play                      |                         |            |  |  |  |
| Connection system           | In pipes (in-line<br>In by-pass  | e)                      |            |  |  |  |
| Input power (kW)            | 1.8- 9.0                         |                         |            |  |  |  |






Online animation about LifeOX® M®














#### Modely

| Model           | Ozone generation    | Max pool volume<br>Private pool (m³) | Connection      | Max flow rate<br>Private pools (m³/h) | Input power<br>(kW) | Dimensions<br>(mm) | Weight<br>(kg) |
|-----------------|---------------------|--------------------------------------|-----------------|---------------------------------------|---------------------|--------------------|----------------|
| LifeOX® M10.EP  | Air dryer           | 60                                   | 2"              | 10                                    | 1.8                 | 985x847x1,202      | 100            |
| LifeOX® M20.EP  | Air dryer           | 120                                  | 2"              | 20                                    | 2.0                 | 985x847x1,202      | 100            |
| LifeOX® M40.EP  | Oxygen concentrator | 240                                  | 3"              | 40                                    | 2.5                 | 1,110x857x1,472    | 140            |
| LifeOX® M90.EP  | Oxygen concentrator | 540                                  | DN 125 (flange) | 90                                    | 3.9                 | 1,300×1,300×2,000  | 250            |
| LifeOX® M140.EP | Oxygen concentrator | 840                                  | DN 150 (flange) | 140                                   | 5.9                 | 1,300x1,300x2,000  | 250            |
| LifeOX® M250.EP | Oxygen concentrator | 1500                                 | DN 250 (flange) | 250                                   | 9.0                 | 1,500x1,300x2,000  | 280            |

Clearly and in summary, choose what is best for you, and if you do not know, we will advise, contact to us

#### Private pool and whirpool



ProfiPure




ProfiPure IoT








Max volume pool and whirpool (m³)



#### Max flow rate (m<sup>3</sup>/h)



#### Product comparison - technical parameters









|  | ProfiPure                                  | ProfiPure IoT                              | ProfiTiny                                  | Charm  |
|--|--|--|--|--|
| Expected life of<br>UV lamp  | 5 000 hours                                | 5 000 hours                                | 5 000 hours                                | 10 000 hours   |
| Technology (Series)  | Medium-pressure UV                         | Medium-pressure UV                         | Medium-pressure UV                         | Medium-pressure UV   |
| loT  | -  | Yes  | -  | -  |
| Salt water   | Yes  | Yes  | Yes  | Yes  |
| Skincare technology<br>(remove trichloramin)                               | Yes  | Yes  | Yes  | Yes  |
| Max pool private volume  | 294 m³                                     | 294 m³                                     | 294 m³                                     | 252 m³   |
| Max flow rate<br>Private pools and whirlpools<br>(UV dose 30 mJ/cm²)       | 49 m³/h                                    | 49 m³/h                                    | 49 m³/h                                    | Ч2 m³/h  |
| Max flow rate (m³/h) Public<br>pools and whirlpools<br>(UV dose 60 mJ/cm²) | 30 m³/h                                    | 30 m <sup>3</sup> /h                       | 44 m³/h                                    | 33 m³/h  |
| Aplication   | Indoor pools, Outdoor pools,<br>Whirlpools                   |
| TOC reduction  | =  | =  | =  | =  |
| Power supply   | Magnetic power supply                      | Magnetic power supply                      | Magnetic power supply                      | Advanced electronic<br>power supply (LifeAGE®<br>technology) |
|  | Parties 10                                 | Produces IV                                | Positive or                                | Charm  |
| Connection   | 1 ½"-3"                                    | 1 ½"-3"                                    | 2'''-3"                                    | 2'''-3"  |
| Total power input<br>of UV lamps   | 0.25 - 0.8 kW                              | 0.25 - 0.8 kW                              | 0.4 - 0.8 kW                               | 0.4 – 0.6 kW   |
|  | Without wiper                              | Without wiper                              | Without wiper                              |  |
| Wiper  | sen    | 100 Marie                                  | act)                                       |  |
|  | Manual wiper                               | Manual wiper                               | Manual wiper                               | Manual wiper   |
|  |  |  | <b>**</b>                                  | <b>**</b>  |
|  |  |  | Automatic wiper                            | Automatic wiper  |
|  |  |  |  |  |
| Sensor   | Temperature                                | Temperature                                | Temperature                                | Temperature sensor   |
| Optional   | UV sensor                                  | UV sensor                                  | UV sensor                                  | UV sensor  |











| D |  |  | Lif |  |
|---|--|--|-----|--|
| u |  |  |     |  |
|   |  |  |     |  |

LifeOX® M 40

LifeOX® M 90, 140, 250

| Тор  | LifeOX® M10,20   | LifeOX®M40   | LifeOX® M 90,140,250   |
|--|--|--|--|
| 18 000 hours   | 10 000 hours   | 10 000 hours   | 10 000 hours   |
| Medium-pressure UV   | AOP (Advanced Oxidation Process)   | AOP (Advanced Oxidation Process)   | AOP (Advanced Oxidation Process)   |
|  | -  | -  | -  |
| Yes  | Yes  | Yes  | Yes  |
| Yes  | Yes  | Yes  | Yes  |
| -  | 120 m³   | 240 m³   | 1500 m <sup>3</sup>  |
| -  | 20 m³/h /1 unit  | 40 m³/h /1 unit  | 250 m³/h /1 unit   |
| 910 m³/h   | 20 m³/h /1 unit  | 40 m³/h /1 unit  | 250 m³/h/1 unit  |
| Indoor pools, Outdoor pools,<br>Whirlpools                               | Indoor pools, Outdoor pools,<br>Whirlpools                               | Indoor pools, Outdoor pools  | Indoor pools, Outdoor pools  |
| -  | Yes  | Yes  | Yes  |
| Advanced electronic power supply (LifeAGE® technology)                   |
| Top  |  |  |  |
| DN 125 - DN 400 (flange)   | 2"   | 3"   | DN 125 – DN 250 (flange)   |
| 1 – 18 kW  | 1.8- 9.0 kW  | 1.8-9.0 kW   | 1.8-9.0 kW   |
| Without wiper  | Without wiper  | Without wiper  | Without wiper  |
|  |  |  |  |
| Manual wiper   |  |  |  |
|  |  |  |  |
| Automatic wiper  | Automatic wiper  | Automatic wiper  | Automatic wiper  |
|  |  |  |  |
| Temperature sensor<br>UV sensor<br>Modbus connection<br>TS touch display |

#### Product comparison - health risks










|   | ProfiPure | ProfiPure IoT | ProfiTiny | Charm |
|---|-----------|---------------|-----------|-------|
| Bacteria Destruction                                      | Yes       | Yes           | Yes       | Yes   |
| Viruses Destruction                                       | Yes       | Yes           | Yes       | Yes   |
| Iron and manganise oxidation                              | -         | -             | -         | -     |
| Removes Trichloramines                                    | Yes       | Yes           | Yes       | Yes   |
| Removes taste and odor                                    | -         | -             | -         | -     |
| Removes Organic pollutant<br>TOC (Total Organic Carbon)   | -         | -             | -         | -     |
| Algae Destruction   | Yes       | Yes           | Yes       | Yes   |
| Pathogens Destruction                                     | Yes       | Yes           | Yes       | Yes   |
| Hazardous contaminants<br>Destruction                     | -         | -             | -         | -     |
| Organic pollutants (BTEX,<br>POPs, AOX, etc.) Destruction | -         | -             | -         | -     |
| Prevents collapse of the hall                             | Yes       | Yes           | Yes       | Yes   |
| Removes typical pool smell                                | Yes       | Yes           | Yes       | Yes   |
| Prevents irritation and drying of the skin                | Yes       | Yes           | Yes       | Yes   |
| Swimming without red eyes                                 | Yes       | Yes           | Yes       | Yes   |
| Prevents coughing and difficulty breathing                | Yes       | Yes           | Yes       | Yes   |
| Prevents premature skin aging                             | Yes       | Yes           | Yes       | Yes   |














| Тор | LifeOX® M10,20 | LifeOX® M 40 | LifeOX® M 90, 140, 250 |
|-----|----------------|--------------|------------------------|
| Yes | Yes            | Yes          | Yes                    |
| Yes | Yes            | Yes          | Yes                    |
| -   | Yes            | Yes          | Yes                    |
| Yes | Yes            | Yes          | Yes                    |
| -   | Yes            | Yes          | Yes                    |
| -   | Yes            | Yes          | Yes                    |
| Yes | Yes            | Yes          | Yes                    |
| Yes | Yes            | Yes          | Yes                    |
| -   | Yes            | Yes          | Yes                    |
| -   | Yes            | Yes          | Yes                    |
| Yes | Yes            | Yes          | Yes                    |
| Yes | Yes            | Yes          | Yes                    |
| Yes | Yes            | Yes          | Yes                    |
| Yes | Yes            | Yes          | Yes                    |
| Yes | Yes            | Yes          | Yes                    |
| Yes | Yes            | Yes          | Yes                    |



#### Comparative technology - health risks

#### Chlorination only

The chemical compound trichloramine (Part of combined chlorine) becomes carcinogenic at high concentrations and can trigger asthma, allergies, skin irritation and dryness, and eye irritation. It is the compound behind the typical "chlorine" smell associated with swimming pools. In essence, a pool with a strong chlorine smell indicates high levels of bound chlorine and is NOT healthy. Additionally, trichloramine contributes to the corrosion of materials within


swimming pools and indoor pool structures. Pools with chlorination and filtration only are prone to chlorine-resistant bacteria such as Pseudomonas aeruginosa, Legionella, Mycobacterium avium, and Cryptosporidium. These bacteria can withstand typical chlorine concentrations found in pools and can cause severe or even deadly ilnesses. The parasite giardia lamblia – causes severe diarrhoea.

Disinfection

Trichloramine reduction

Organic matter reduction

» Swimming pool with high concentrations with trichloramines, NOT a healthy pool




#### Low Pressure UV

That harsh "chlorine pool" smell? It's actually trichloramine, a chemical compound of bound chlorine that is carcinogenic at higher concentrations and linked to asthma, skin irritation, and even damage to pool equipment. The concentration of disinfecting chlorine can be reduced to 0.5 mg/l. The concentration of disinfecting chlorine is 0.7-1 mg/l. Chlorine dosage 100%

» These lamps are based on low-pressure UV light bulbs with single wavelength of UV. These lamps do NOT remove the harmful trichloramine!

DisinfectionTrichloramine reduction

Organic matter reduction





#### Medium Pressure LifeUVM®

Ensure healthy water and a pleasant environment with UV systems featuring medium-pressure UV lamps, which simultaneously disinfect water and remove harmful Trichloramine. Standard low-pressure UV lamps cannot achieve this, which is why the German standard DIN 19643 for public swimming pool water treatment mandates the use of UV systems with medium-pressure lamps. This advanced technology, previously exclusive to


public pools, is now available for private pools. It also allows for the reduction of disinfecting chlorine concentration to 0.3 mg/l.

» Get a healthy swimming pool, removes the harmful Trichloramine

Disinfection

✓ Trichloramine reduction

Organic matter reduction



#### AOP LifeOX®M

The pool water attains the quality of drinking water, creating a healthy and pleasant environment suitable even for toddlers, asthmatics, and allergy sufferers. It is free from harmful Trichloramine and organic TOC (Total Organic Carbon) contaminants. The concentration of disinfecting chlorine can be reduced to


Disinfection


Trichloramine reduction

Organic matter reduction

0.1-0.2 mg/l. This results in a radical reduction of operating costs and the fastest return on investment.

» Most powerful technology avaiable. Get a healthy swimming pool, removes harmful Trichloramine and its source. Reduce TOC (Total organic carbon)







#### Contact



Please do not hesitate to contact us with any questions or comments. We speak Czech, English, German, Arabic and Russian.

> www.lifetechozone.com LIFETECH s.r.o.

> > Kosinova 19

612 00 Brno Sales Department sales@lifetechozone.com

Czech Republic

Service Department service@lifetechozone.com

reg ID: 25504401 VAT ID: CZ25504401



www.lifetechozone.com



www.instagram.com/ lifetech\_ozone\_uv\_aop \_expert/



www.linkedin.com/ company/lifetech-s-r-o-



www.lifeox-m.lifetechozone.com/